



**MANLOY**

文來貿易股份有限公司  
MANLOY TRADING CO., LTD.



MANLOY.COM





**MANLOY**

文來貿易股份有限公司  
MANLOY TRADING CO., LTD.

## Content

1. About Manloy
2. Insulation Materials
3. Warehouse



# ABOUT MANLOY





# HISTORY

1957	Founder Mr. C.P. Huang established Hong Da Electrical Hardware, importing insulation materials from Japan.
1958	Established Manloy Trading Co., Ltd., importing insulation materials and electrical steel. As manufacturing emerged in Taiwan, demand for electrical steel surged. Manloy started importing electrical steel from Nippon Steel Corporation.
1976	Established a service center in Sanchong, Taiwan (Sanchong Plant) to provide additional customer service.
2001	Certified by ISO 9001

2006	Certified by ISO 14001
2007	Certified by OHSAS 18001
2019	Manloy received the Red Dot Award: Brands & Communication Design 2019 and was interviewed by CommonWealth Magazine.
2023	Manloy Metal Industrial Co., Ltd. transfers all operations of the electrical steel business to Legnano Teknoelectric Company Asia Pacific Co., Ltd.
2024	Manloy Trading Co., Ltd. returns to its roots as a trading company and consolidates all operations to its current location in Sanchong, Taiwan.



## MANLOY CORE VALUES



### STREAMLINED QUALITY CONTROL

Our ERP system streamlines workflows for accuracy and transparency.

### PERSONAL SERVICE & RELIABILITY

Providing excellent service and timely delivery is a core competency.

### EMPLOYEE WELL-BEING

We believe that employees who are well cared for will serve clients best.

### DEDICATED & RESILIENT

Our relationship with clients and employees is based on honesty, credibility and trust.

### LOCAL & GLOBAL OPERATIONS

Our network in the industry allows us to provide the best solutions for local and international markets.

### TRADITIONAL YET INNOVATIVE

As we innovate and evolve, we continue to honor our history and tradition.



# INSULATION MATERIALS





## INSULATION MATERIALS

---

Manloy imports insulation materials used primarily in transformer and motor manufacturing. The range of products also have diverse applications that may be used in other industries and products. For further inquiries, please do not hesitate to contact us ([info@manloy.com](mailto:info@manloy.com)).

---



PRODUCTS	APPLICATIONS	ITEMS	BRAND OF A PRODUCT	PLACE OF ORIGIN
Insulating Presspaper	Transformers, motors, electronics, insulation coil winding, general insulation pads	Kraft Paper	Weidmann	UK
			Weidmann	U. S. A.
			Weidmann	Ukraine
		Fish Paper	Xuchang Zhongcheng	China
		Kraft Paper	Daifuku	Japan
		Daimond Dotted Paper (65°C)	Weidmann	UK
		Crepe Paper	Weidmann	U. S. A.
		Kraft Paper TI (55°C)	Tomoegawa	Japan
		Kraft Paper TZA (65°C)	Tomoegawa	Japan
Insulating Pressboard	Transformers, motors, electronics, general insulation pads	TIV Transformerboard	Weidmann	Switzerland
		Corrugated Board	Weidmann	Switzerland
		Jingsong Board	Weidmann	China
Composite Insulating	Transformers, motors, electronics, insulation coil winding, general insulation pads	TK / TP	Soflex	China
			Weidmann	UK
		NMN	Soflex	China
		DMD	Soflex	China
		DM	Soflex	China
		TPT	Soflex	China



PRODUCTS	APPLICATIONS	ITEMS	BRAND OF A PRODUCT	PLACE OF ORIGIN
Polyester Film	General Electrical Industrial Film	PET Film	TORAY Lumirror	Malaysia
	Optical Film		JINDAL	India
	Protective Film	PET Film	TORAY Lumirror	Japan
	Release Base Film	PET Film	TORAY Lumirror	Malaysia
		PET Film	TORAY Lumirror	Malaysia
NOMEX	Transformers, motors, electronics, insulation coil winding, general insulation pads	NOMEX 410	DUPONT	Japan
3M Flexible Insulation	Transformers, motors, electronics, insulation coil winding, general insulation pads	TufQUIN 110	3M	U. S. A.
		CeQUIN X	3M	U. S. A.
Vulcanized Fibre	Transformers, motors, electronics, insulation coil winding, general insulation pads	GENERAL	HOKUETSU TOYO FIBRE	Japan
		FLAME RETARDANT	HOKUETSU TOYO FIBRE	Japan
Electric Insulating Rod	Transformers, motors, electronics	Square type, H type	Hon Tai Material	Taiwan



PRODUCTS	APPLICATIONS	ITEMS	BRAND OF A PRODUCT	PLACE OF ORIGIN
Electric	Transformers, motors, electronics, insulation coil winding	Polyester Fiberglass Sleeving	Huide	Taiwan
Insulating		Fiberglass Sleeving Coated with	Huide	Taiwan
Tube		Silicon Resin		
		Silicon Rubber Tubing	Ching Shun	Taiwan
		Crepe Paper Tube	Weidmann	Mexico
3M	Transformers, motors, electronics, insulation coil winding	3M Insulating Tap	3M	U. S. A.
Insulating Tape				
Special	Transformers, motors, electronics, insulation coil winding	Cotton belt, PVC Tape		Taiwan
Insulating Tape				
SOLVENT				
SOLVENT	Electrical coil insulation impregnated with varnish thinners	Thinner	TAIWAN H-F ELECTRICAL	Taiwan
SOLVENT	Electrical coil insulation impregnation or surface treatment purposes	Varnish	TAIWAN H-F ELECTRICAL	Taiwan

Please contact us to inquire about other brands and products: [info@manloy.com](mailto:info@manloy.com)



# WAREHOUSE






























## WAREHOUSE

---

Our warehouse and service center carries a diverse portfolio of materials from our global network. It stores over 50 different materials and our trained slitting experts operate three lines to meet and exceed any customer needs. From fibre to insulation paper, film, tape and solvents, these materials are stored in a 2,000 square metre warehouse that is a short 15 minutes away from Taipei City, allowing for maximal accessibility and timeliness.

---



# SLITTING LINES

	SLITTING LINE 1	SLITTING LINE 2	SLITTING LINE 3
Materials	insulation paper, kraft paper, PET film, NMN, Nomex, Myler film	insulation paper, kraft paper, PET film, NMN, Nomex, Myler film	insulation paper, kraft paper, PET film, NMN, Nomex, Myler film
Thickness range	0.025 mm ~ 0.5 mm	0.05 mm ~ 0.5 mm	0.025 mm ~ 0.5 mm
Width range	8 mm ~ 1350 mm	10 mm ~ 1200 mm	8 mm ~ 1300 mm
Inner diameter range	25 mm, 50 mm, 75 mm	25 mm, 50 mm, 75 mm	50 mm, 75 mm
Outer diameter range	500 mm	450 mm	500 mm
Maximum outer diameter	1200 mm	1000 mm	1200 mm
Maximum inner diameter	ID 6" (150mm)	ID 6" (150mm)	ID 6" (150mm)
Minimum inner diameter	ID 3" (75mm)	ID 3" (75mm)	ID 3" (75mm)
Maximum weight bearing capacity	1000 KG	750 KG	1000 KG
Maximum width	1400 mm	1200 mm	1350 mm



謝謝 | THANK YOU